
SWMS No 008	Job Sat	Page 1 of 7								
SJD ELECTRICAL PTY LTD - ABN 53 127 802 608 - ACN 127 802 608 - ELECTRICAL LICENCE 68608 - QBCC LICENCE 1270514 - ARC LICENCE AU19801 - MOLEX LICENCE CIAU3372										
Safe Work Method S	Statement Title: SWMS: 008 LIGHTING	LOOMS		Date Created: 00/00/16						
Project Name:		Person responsible for ensuring compli	Review Date: 00/00/17							
Project/Client:		Job No:	Authorised By:	Revision No. 0						

	Licences, Permits, Competencies Required: (tick items relevant to this task and site)									
□ Confined Space	□ Work at Heights	□ Excavation	□ Hot Work	□ Radiation						
□ White Card	□ EWP	□ Electrical License	□ Rescue and Resuscitation	□ Network Access						
	Common Hazards to Manage: (tick items relevant to this task and site)									
□ Manual handling □ Working at Heights □ Risk of Electric Shock □ Slips, Trips and Falls □ Housekeeping										

HAZARD (CLASSIFICATION MATE	RIX			Probability		
POSSIBLE RESULTS Risk = Consequence x Likelihood			RARE A	UNLIKELY B	POSSIBLE C	LIKELY D	ALMOST CERTAIN E
S	Catastrophic	5	Medium (M)	High (H)	High (H)	Extreme (E)	Extreme (E)
eoue	Major	4	Medium (M)	Medium (M)	High (H)	High (H)	Extreme (E)
ənbe	Moderate	3	Low (L)	Medium (M)	High (H)	High (H)	High (H)
Consequences	Minor			Low (L)	Medium (M)	Medium (M)	High (H)
Ŏ	Insignificant			Low (L)	Low (L)	Medium (M)	Medium (M)



RISK RATING	ACTION REQUIRED (ALARP – As Low As Reasonably Practicable)
E = Extreme, UNACCCEPTABLE	Intolerable risk. Activity must not be undertaken prior to Management / CEO review of potential risk mitigation measures and a decision that risk is ALARP
H = High risk, Only acceptable if ALARP	Implement strict control measures to reduce risk to an acceptable level. Activity must not continue until the level of risk is reduced to As Low As Reasonably Practicable (ALARP) and preferably Medium rating. Operations Manager and/or Project Supervisor approval of the risk controls is required.
M = Medium risk Undesirable	Specify, document and implement existing risk controls and additional management actions to reduce the risk to ALARP and preferably Low rating . Activity must not continue without Operations Manager and/or Project Supervisor approval.
L = Low risk, Tolerable	Tolerable risk. Carry out activity

Basic PPE to be used

























✓ app							
Other	PPE:						

Safe Work Method Statement Title: SWMS: 008 LIGHTING LOOMS

Job Task #	Job Step	Potential Health, Safety and Environmental Hazards	PROBABILITY	CONSEQUENCE	RATING	Control Measures	PROBABILITY	CONSEQUENCE	RATING	PERSON(S) RESPONSIBLE
1	Planning and preparation	Non-compliance with current legislative requirements and company processes.	D	4	Н	All personnel to complete site specific induction. All personnel to have completed company specific induction. Personnel are to hold the required licenses and certificates for the work, and be assessed as competent to use or operate equipment and plant. All personnel must read, understand and sign off on this SWMS. All personnel are given the opportunity to provide input into the content of this SWMS. Daily pre-starts will be held at the beginning of each shift. Any changes throughout the shift will be communicated prior to the commencement of the next task. A JSA is to be completed for any changes to the task. Ensure permit requirements are understood.	В	4	М	Work crew Supervisor Permit Holder
		Working outdoors with exposure to; - UV / high temperatures causing heat stress / dehydration / sunburn - Fauna and insects causing bites and stings Interactions with other trades working in the vicinity; - Inadvertently cause hazardous situation including trips, slips, falls	D	3	Н	'Check ins' during extreme weather conditions. Comply with the Queensland Worksafe heat stress procedure. Ensure there is an area in the shade for rest (preferably Crib Facilities). Work Breaks are compulsory at nominated times (preferably during the hotter parts of the day) Drink adequate water amount of water. Use sun block for protection from sun. Use insect repellent (if applicable). Ensure other workers are informed and aware of all other trades working in the area Communicate potential interactions during prestart	В	3	м	Work crew Supervisor Work Crew

Job Task #	Job Step	Potential Health, Safety and Environmental Hazards	PROBABILITY	CONSEQUENCE	RATING	Control Measures	PROBABILITY	CONSEQUENCE	RATING	PERSON(S) RESPONSIBLE
		Unauthorized access to work area by other authorized personnel without correct PPE.	D	3	Н	Follow all site rules and procedures. Wear all mandatory PPE and task specific PPE. If a hazard is identified in the work area – fix it immediately or if unable to do so, isolate the hazard and inform your supervisor immediately. Site wide barricading to be installed to restrict access to unauthorized personnel. Signage to be visible around all site and at all access points. All visitors must report to site office before entering site. All visitors to be escorted by a site inducted personnel member.	В	3	Σ	Supervisor Work crew
		Poor ground conditions Uneven, loose, wet or soft ground at the work site.	С	2	Н	Inspect path of travel for any obstructions and remove them. Daily site inspections prior to commencement of work activities and at the conclusion of each work day. Regular housekeeping inspections including regular walk rounds to be conducted to ensure a clean and tidy work area.	В	2	М	Work crew
2	Work area preparation	Personal injury - - Cuts, strains, abrasions, burns - Possible eye injury - Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes)	С	3	Н	Authority and empowerment to Stop the Job. Follow all site rules and procedures. Ensure correct manual handling techniques are followed. Wear all mandatory PPE and task specific PPE. Communicate task clearly with all work crew members. Ensure a thorough understanding of expectations. If a hazard is identified in the work area – fix it immediately or if unable to do so, isolate the hazard and inform you supervisor. Work on flat surface where practicable Secure all tools and/or equipment by lanyard or store in a toolbox/basket when on the work platform.	В	3	М	Work crew Supervisor

Job Task #	Job Step	Potential Health, Safety and Environmental Hazards	PROBABILITY	CONSEQUENCE	RATING	Control Measures	PROBABILITY	CONSEQUENCE	RATING	PERSON(S) RESPONSIBLE
3	Inspect work area and equipment	Defective installation causing electrocution.	С	4	Н	Ensure appropriate test equipment is being used Appropriate tools for the job are available Ensure all appropriate barricading is in place to isolate the area Working kits are used and maintained, and first check operation of test apparatus. Visual inspection shall include; - Basic protection (protection against direct contact with live parts) - Fault protection (protection against indirect contact with exposed conductive parts) - Protection against hazardous parts (guarding/screening) - Protection against spread of fire (fire blanket / fire extinguisher) - General condition of equipment.	В	4	М	Work crew Supervisor
4	Check drawings to confirm loom locations and specifications	Personal injury – - Potential slips, trips and falls	С	3	H	Ensure direct work area is clear and free from any potential trip hazards All tools are to be stored appropriately for easy access and to avoid becoming a trip hazard Dispose of all loose items and rubbish appropriately	В	3	Μ	Work crew Supervisor
5	Label each loom with distribution board and circuit number	Incorrect labelling of looms with potential to cause personal injury	С	4	Н	Supervisor to check all labels prior to installation. Ensure correct manual handling techniques are followed. Wear all mandatory PPE and task specific PPE.	В	4	Μ	Supervisor Work crew
6	Install looms to client specifications	Personal injury – Potential electric shock Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights (remove if not applicable)	С	4	Н	Authority and empowerment to Stop the Job. Ensure correct manual handling techniques are followed. Wear all mandatory PPE and task specific PPE. If dust is present, a dust musk must be used. A dust extraction device will be used in the event dust becomes excessive. Refer to Working at Heights SWMS (remove if not applicable)	В	4	3	Work crew

Job Task #	Job Step	Potential Health, Safety and Environmental Hazards	PROBABILITY	CONSEQUENCE	RATING	Control Measures	PROBABILITY	CONSEQUENCE	RATING	PERSON(S) RESPONSIBLE
7	Confirm socket locations and fixings to client's specifications	Personal injury due to contact with live parts	С	4	н	Obtain work approval and confirm any client site/safety instruction. Check scope of works to confirm whether work be re-scheduled so it may be isolated. Confirm that person/s carrying out the work are appropriately qualified, competent, confident and trained for the task.	В	4	Δ	Work crew Supervisor
8	Install circuit feeds and switch wires to client's specifications	Personal injury - - Cuts, strains, abrasions, burns - Possible eye injury - Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Unauthorized access to work area by other authorized personnel without correct PPE.	С	4	Н	Provided an appropriate safe system of work. Test and commission new works and re-install covers. Use only approved insulated tools, test instruments and test probes. Wear all mandatory PPE and task specific PPE (electrical rated gloves, face shield, non-conductive clothing) Bracelets, rings, neck chains, exposed metal zips, watches and other conductive items shall not be worn while doing or where there is a possibility of doing work on or near exposed energised conductors. If worn, ear plugs or earmuffs shall not be conductive.	В	4	Δ	Work crew Supervisor
9	Completion of task	Slips, trips, and falls	С	4	н	Leave work area tidy. Store equipment in authorised access area (e.g. locked storage facility) Report any damage/defect to supervision and tag out any faulty equipment.	В	4	М	Work crew

SJD Electrical Job Safety Analysis / Safe Work Method Statement

Safe Work Method Statement Title: SWMS: 008 LIGHTING LOOMS

Personnel Qualifications and	Personnel Duties a	Training Paguired to Complete Work					
Experience Required	Supervisor	All Personnel	Training Required to Complete Work				
Personnel will need to be trained and confident.	Empower all personnel to STOP the JOB if required to do so.	All personnel to maintain tidy work area on site at all times. Personal Protective Equipment (PPE) to be worn at all times on site	Supervisor to be trained in risk identification, assessment and control e.g. Job Safety Analysis (JSA).				
Appropriate industry and site specific induction.			Electrician to be trained in hazard identification, Risk Level and control.				
the works. place for the task (if applicable).		Barricading to be used as appropriate to protect others from working below elevated work.	Safety observer who is competent to perform the task being observed and is also competent in electrical rescue and cardio-pulmonary resuscitation (CPR).				

Engineering Details / Certificates / Australian Standards	Referenced – Codes of Practice / Regulations / Legislation
 Floor capacity sufficiently engineered to carry weight of elevated work platform/s AS 1576 Scaffolding - General requirements AS 1891 Industrial fall arrest systems and devices AS 2626 Industrial Safety Belts and Harnesses AS/NZS 4836 Safe working on or near low voltage electrical installations and equipment AS/NZS 3012:2010 Electrical Installations – Construction and Demolition Sites 	 Work Health and Safety Act and Regulations 2011 Electrical Safety Act 2002 and Electrical Safety Regulations 2013 Electrical Safety Code of Practice 2013 - Managing Electrical Risks in the Workplace Hazardous Manual Tasks Code of Practice 2011 Managing risks of Plant in the workplace Code of Practice 2013 Scaffolding Code of Practice 2009 (remove any of the above that are not applicable for the task being undertaken)
Plant / Equipment Required (Mobile or Static)	Maintenance Checks / Calibration Intervals
 Portable hand tools, electrical power tools / drills (insulated tools) May require scissor lift, boom lift or cherry picker (refer to Scissor Lift / Boom Lift / Cherry Picker SWMS) Appropriate testing equipment 	 Hand tools and ladders to be checked daily. All electrical equipment to be tested and tagged. Elevated Work Platform/s in accordance with manufacturer's recommendations (remove if not applicable)

Safe Work Method Statement Title: SWMS: 008 LIGHTING LOOMS

This SWMS has been developed in consultation and cooperation with employee / workers and relevant employer / persons conducting business or undertaking PCBU. I have read the above SWMS and I understand its contents. I confirm that I have the skills and training, including relevant certification to conduct the task as described. I agree to comply with safety requirements within this SWMS including risk control measures, safe work instructions and Personal Protective Equipment.

OVERALL RISK RATING AFTER CONTROLS	□ 1 LOW	□ 2 MODERATE	□ 3 HIG	Н	□ 4 ACUTE
EMPLOYEE / WORKER NAME	JOB ROLE / POSITION	SIGNATURE	DATE	TIME	EMPLOYER / PCBU / SUPERVISOR